

L Number	Hits	Search Text	DB	Time stamp
6	14	(mask near2 comparand) with CAM	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/03/05 09:16
21	1510	multiplex\$3 adj address adj data	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/03/05 12:54
23	644	multiplexed adj address adj data adj bus	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/03/05 12:54
24	21	((multiplexed adj address adj data adj bus) with (save reduce))	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/03/05 12:54
25	21	((multiplexed adj address adj data adj bus) with (save reduce)) and @ad<20020114	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/03/05 12:54
-	204	711/108.cor.	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/03/04 08:46
-	607	365/49.cor.	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/03/02 11:29
-	56	netlogic.as.	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/03/02 12:10
-	1	((711/108.cor. 365/49.cor.) and @ad<20020114) and (crossbar (cross adj bar))	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/03/02 12:11
-	253	((711/108.cor. 365/49.cor.) and @ad<20020114) and switch	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/03/02 12:11
-	58	((370/392.cor.) and @ad<20020114) and CAM	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/03/03 09:03
-	612	(711/108.cor. 365/49.cor.) and @ad<20020114	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/03/03 09:04
-	422	(370/392.cor.) and @ad<20020114	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/03/03 09:04
-	670	((((370/392.cor.) and @ad<20020114) and CAM) ((711/108.cor. 365/49.cor.) and @ad<20020114)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/03/03 09:05
-	7	comparand with (input near2 select\$3)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/03/03 09:42
-	21	comparand same (input near2 select\$3)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/03/03 09:46

-	25	(CAM and key) same (input near2 select\$3)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/03/03 09:52
-	92	((CAM and key) comparand) same (crossbar (cross adj bar))	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/03/03 10:43
-	86	((((CAM and key) comparand) same (crossbar (cross adj bar))) and @ad<20020114	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/03/03 09:53
-	5	("4845668" "6374326" "6351142").pn. ("20020073073" "20020126672").did.	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/03/03 11:37
-	13	(((\$2programm\$4 \$2configur\$4) near2 crossbar) with cell	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/03/03 17:10
-	621	(crossbar cross-bar crosspoint cross-point) near2 cell	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/03/03 17:11
-	125	(crossbar cross-bar crosspoint cross-point) adj cell	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/03/03 17:16
-	97	((crossbar cross-bar crosspoint cross-point) adj cell) and @ad<20020114	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/03/03 17:11
-	11	(crossbar cross-bar) adj cell	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/03/03 17:17
-	4	(crossbar cross-bar ((matrix fabric) near switch\$3)) with (((pass adj (gate logic transistor))) near2 (cell memory storage))	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/03/03 17:41
-	17	(((((pass adj (gate logic transistor))) near2 (cell memory storage))) and crossbar	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/03/04 09:05
-	8	("6351142" "5438535" "5920886" "6424659" "6243281").pn. ("20030005146" "20030039135" "20020015348").did.	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/03/04 08:47
-	259	programmable adj decoder	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/03/04 10:05
-	220	(programmable adj decoder) and @ad<20010114	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/03/04 09:05
-	793	(programmable adj2 (decod\$3 select\$3)) with (memory register stor\$3 latch (flip adj flop)) not fuse	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/03/04 09:52
-	720	((programmable adj2 (decod\$3 select\$3)) with (memory register stor\$3 latch (flip adj flop)) not fuse) and @ad<20020114	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/03/04 09:52

-	35	(programmable adj2 (decod\$3 select\$3)) with ((memory register stor\$3 latch (flip adj flop)) and compar\$4) not fuse	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/03/04 09:53
-	88	programmable adj selector	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/03/04 11:04
-	1	reconfigurable adj selector	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/03/04 11:05
-	9	reconfigurable adj decoder	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/03/04 11:05
-	96	reconfigurable adj interconnect	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/03/04 11:48
-	81	(reconfigurable adj interconnect) and @ad<20020114	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/03/04 11:35
-	22	configurable adj (decoder selector)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/03/04 11:38
-	314	(reorder re-order transpose) adj vector	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/03/04 11:39
-	0	((reorder re-order transpose) adj vector) with select	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/03/04 11:39
-	1	((reorder re-order transpose) adj vector) with select\$3	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/03/04 11:39
-	47	((reorder re-order transpose) adj field)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/03/04 11:42
-	9	((reorder re-order transpose) adj (field bit)) with (header tuple packet)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/03/04 11:42
-	47	reconfigurable adj (datapath (data adj path))	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/03/04 12:06
-	9	((reorder re-order) rearrange transpose swap reconfigure) near2 tuple	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/03/04 14:29
-	14539	(extract\$3 \$2assembl\$3) near2 field	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/03/04 14:30
-	7209	(extract\$3 \$2assembl\$3) near field	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/03/04 14:30

-	11	((extract\$3 \$2assembl\$3) near field) with (crossbar (cross adj bar) crosspoint (cross adj point))	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/03/04 14:32
-	92	((extract\$3 \$2assembl\$3) near field) with (switch matrix)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/03/04 14:32
-	86	((extract\$3 \$2assembl\$3) near field) with (switch matrix)) and @ad<20020114	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/03/04 15:38
-	450	CAM with decoder	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/03/04 15:53
-	263	(CAM with decoder) and (content adj addressable adj memory) and @ad<20020114	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/03/04 15:54
-	103	(CAM near3 decoder) and (content adj addressable adj memory) and @ad<20020114	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/03/04 15:54
-	66	(CAM near2 decoder) and (content adj addressable adj memory) and @ad<20020114	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/03/04 15:56
-	0	CAM adj based adj decoder	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/03/04 16:24
-	2149	redundan\$2 near2 decod\$3	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/03/04 16:25
-	673	(redundan\$2 near2 decod\$3) and DRAM and @ad<20020114	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/03/04 16:26
-	375	(redundan\$2 near2 decod\$3) with (\$2configur\$4 program\$5)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/03/04 16:26
-	162	((redundan\$2 near2 decod\$3) with (\$2configur\$4 program\$5)) and DRAM and @ad<20020114	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/03/04 16:26